

Report card for the Pambula Lake Tributaries Water Source

Report card 13 of 23

Water source context

Water Sharing Plan:	Towamba River Unregulated and Alluvial Water Sources
Extraction Management Unit (EMU):	Pambula River Extraction Management Unit
Area:	321 km ²
Inflowing water source:	Nil
Receiving water source:	Nil
Groundwater-dependent ecosystems:	Present at the commencement of the plan
Average rainfall:	770 mm/year (measured at Merimbula weather station)

River flows

Low-flow index:	0.5 ML/day (80 th percentile daily flow)
Flow records:	220003 Pambula River at Lochiel gauge

Basic landholder rights

Domestic and stock rights estimate:	226.3 ML/year
Native title rights:	0 ML/year
Harvestable rights	
estimated 10% rainfall runoff:	Not yet estimated
estimated current uptake:	Not yet estimated

Licensed water entitlements

Total surface water entitlement:	836 ML/year (26 ML/year domestic and stock licences, 810 ML/year unregulated river licences)
Total groundwater entitlement:	27 ML/year
Local water utilities entitlement:	0 ML/year
Proportion of Extraction Management Unit:	78.8 %

Rules

Managing access licences

Each water access licence has its own share component (volume of the licence) and a water allocation account that acts like a bank account where water is credited or debited.

- Water is credited to an account by an available water determination or if water is traded in (purchased) during the year from other licence holders
- Water is debited from the account when water is extracted or traded out (sold). Total extraction from a work (pump, bore, etc.) will be measured via metering or logbooks.

Carryover and individual account limits

For a local water utility access licence account – carryover is not permitted.

Domestic and stock, unregulated river and aquifer access licence accounts - carryover is permitted up to 1 ML per unit share or 100% of share component (where expressed in ML) at the end of each water year.

Domestic and stock, unregulated river and aquifer access licences - the maximum water account debit in any 3 consecutive water years is the volume of water allocated to the account over those 3 years from available water determinations plus any adjustments made for allocation assignments (trades) or water allocation re-credited into the account.

Table 1. Draft rules for granting access licences

Type	Current rules	Proposed rules
<p>There are limited purposes for which a new licence will be granted. It is anticipated that most water needs will be sourced from the market. One reason a licence may be granted is for Aboriginal cultural purposes. Other reasons are identified in Clause 10 of the <i>Water Management Act General Regulation 2018</i>.</p>		
Aboriginal cultural access licence	Allowed up to 10 ML/year.	No change.
Aboriginal community development access licence	Not allowed.	No change.

Table 2. Draft surface water access rules

Type	Current rules	Proposed rules
Cease to pump	Must cease pumping when there is no visible flow at the pump site.	Cease to pump when flows are at or less than 0.5 ML/day at flow reference point 220003 Pambula River at Lochiel gauge.
Commence to pump	No commence to pump rule.	When the river is rising, unregulated river access licences cannot start pumping until flows are above 3.4 ML/day.
Extraction from an in-river pool	Must cease pumping if in-river pool is below full capacity.	No change.

Table 3 Draft alluvial groundwater access rules

Type	Current rules	Proposed rules
Cease to pump	Must cease pumping when there is no visible flow in the river at a location closest to the pump site.	Alluvial groundwater access rules are the same as the surface water access rules in Table 2.
Commence to pump	No commence to pump rule.	Alluvial groundwater access rules are the same as the surface water access rules in Table 2.

Table 4 Exemptions from surface water access rules

Type	Current rules	Proposed rules
Health and hygiene	For an access licence specified in Schedule 2 of the plan, no more than 20 kl/day for the following reasons: <ul style="list-style-type: none"> • fruit washing • cleaning of dairy plant and equipment for the purposes of hygiene • poultry watering and misting • cleaning of enclosures used for intensive animal production for the purposes of hygiene. 	No change.
Domestic use	Water must not be taken under a domestic and stock access licence if there is no visible flow at the pump site.	For domestic consumption under a domestic and stock access licence, up to 1 kl/day.

Type	Current rules	Proposed rules
Harvestable rights	From a run-off harvesting dam.	No change.
Specific purpose	For an access licence specified in Schedule 2 of the plan.	No change.
In-river pools or dams	Take may only occur if the dam or pool is at or above full capacity unless otherwise specified in the conditions of the access licence.	No change.
Off-river pools	Take is permitted.	No change.

Table 5 Exemptions from alluvial groundwater access rules

Type	Current rules	Proposed rules
Health and hygiene	For an access licence specified in Schedule 2 of the plan, no more than 20 kl/day for the following reasons: <ul style="list-style-type: none"> • fruit washing • cleaning of dairy plant and equipment for the purposes of hygiene • poultry watering and misting • cleaning of enclosures used for intensive animal production for the purposes of hygiene. 	No change.
Domestic use	Must cease pumping when there is no visible flow in the river at a location closest to the pump site.	For domestic consumption under a domestic and stock access licence, up to 1 kl/day.
Specific purpose	For an access licence specified in Schedule 2 of the plan.	No change.
Location	For groundwater works greater than 40m from the river.	No change.

Table 6 Draft rules for constructing surface water supply works

Type	Current rules	Proposed rules
In-river dams	In-river dams only permitted on first and second order streams.	No change.

Water supply works near coastal wetlands	No rule in current plan.	Allowed, if there is no more than minimal harm to the wetland.
---	--------------------------	--

Table 7 Draft rules for groundwater water supply works

Type	Current rules	Proposed rules
Rules to minimise interference between bores	<p>Water supply works (bores) must not be granted or amended within:</p> <ul style="list-style-type: none"> • 100 m from a bore that is nominated on an aquifer access licence on another landholding • 100 m from a bore that is used to extract basic landholder rights on another landholding • 50 m from a property boundary (unless negotiated in writing with neighbour) • 500 m from a bore nominating a local or major water utility access licence • 100 m from a government monitoring bore. <p>These distance restrictions do not apply if:</p> <ul style="list-style-type: none"> • the bore is used solely for basic landholder rights • the bore is a replacement bore • the bore is used for monitoring, environmental remediation activities or emergency services • the location of the bore at a lesser distance will have no more than minimal detrimental effect on existing extraction. 	<p>Water supply works (bores) must not be granted or amended within:</p> <ul style="list-style-type: none"> • 200 m from a bore that is nominated on an aquifer access licence on another landholding • 200 m from a bore that is used to extract basic landholder rights on another landholding • 100 m from a property boundary (unless negotiated in writing with neighbour) • 500 m from a bore nominating a local or major water utility access licence • 100 m from a government monitoring bore. <p>These distance restrictions do not apply if:</p> <ul style="list-style-type: none"> • the bore is used solely for basic landholder rights • the bore is a replacement bore • the bore is used for monitoring, environmental remediation activities or emergency services • the location of the bore at a lesser distance will have no more than minimal detrimental effect on existing extraction.

Type	Current rules	Proposed rules
<p>Rules for bores located near contamination sources</p>	<p>Water supply works (bores) must not be granted or amended within:</p> <ul style="list-style-type: none"> • 250 m of a contamination source identified within the plan • 250 m from the edge of a plume of a contamination source listed in the plan • 250 m and 500 m from the edge of a plume associated with a contamination source identified within the plan, unless no drawdown of water will occur within 250 m of that plume • more than 500 m from the plume associated with a contamination source identified in the plan, if a greater distance is specified by the Minister to be necessary to protect the water source, the environment or public health or safety. <p>These distances restrictions do not apply if:</p> <ul style="list-style-type: none"> • the location of the bore is adequate to protect the water source, the environment and public health and safety • the bore is used for the purpose of monitoring, environmental remediation activities or emergency services. 	<p>Water supply works (bores) must not be granted or amended within:</p> <ul style="list-style-type: none"> • 500 m of a contamination source identified within the plan • 250 m from the edge of a plume of a contamination source listed in the plan • 250 m and 500 m from the edge of a plume associated with a contamination source identified within the plan, unless no drawdown of water will occur within 250 m of that plume • 250 m of an onsite sewage disposal system unless the water supply work is: <ul style="list-style-type: none"> — constructed with cement grout in the borehole annulus to a minimum depth of 20 m from the ground surface — located at a sufficient distance from the on-site sewage disposal system to prevent migration of septic contamination in the aquifer. <p>These distances restrictions do not apply if:</p> <ul style="list-style-type: none"> • the location of the bore is adequate to protect the water source, the environment and public health and safety • the bore is used for the purpose of monitoring, environmental remediation activities or emergency services.

Type	Current rules	Proposed rules
<p>Rules for bores located near high priority groundwater-dependent ecosystems</p>	<p>Water supply works (bores) must not be granted or amended within:</p> <ul style="list-style-type: none"> • 40 m of the top of the high bank of a river • 40 m of a first-, second- or third-order stream • 200 m of any high-priority, groundwater-dependent ecosystem • 500 m of a Karst environment • the bed of a third-order or higher stream. <p>These distances restrictions do not apply if the bore is:</p> <ul style="list-style-type: none"> • used for basic landholder rights • a replacement groundwater work • used for the purpose of monitoring, environmental remediation activities or emergency services. 	<p>In addition to the current rules, a proposed rule will be included that a water supply work approval must not be granted or amended in this water source unless the minister's opinion is that there will be no more than minimal harm to any wetland mapped under the <i>State Environment Planning Policy (Resilience and Hazards) 2021</i>.</p>
<p>Rules for bores located near potential acid sulfate soils</p>	<p>No rules in current plan.</p>	<p>New bores cannot be in an area classed as having a high probability of the occurrence of acid sulfate soils if there is significant risk of acidification of the water sources.</p>

Type	Current rules	Proposed rules
<p>Rules for bores located near groundwater-dependent, culturally significant sites</p>	<p>Water supply work approval will not be granted or amended to authorise the construction of a water supply work which, in the Minister’s opinion, is located within:</p> <p>(a) 100 m of a groundwater dependent culturally significant site in the case of a water supply work used solely to take water pursuant to basic landholder rights, or</p> <p>(b) 200 m of a groundwater dependent culturally significant site in the case of a water supply work not used solely to take water pursuant to basic landholder rights. This location distance restriction does not apply if:</p> <ul style="list-style-type: none"> • the bore is used solely for a basic landholder right • the bore is a replacement bore • the bore is used for monitoring, environmental remediation activities or emergency services • the location of the bore at a lesser distance will have no more than minimal harm to any groundwater-dependent, culturally significant sites. 	<p>Water supply works (bores) must not be granted or amended within 200 m of groundwater-dependent, culturally significant sites.</p> <p>This location distance restriction does not apply if:</p> <ul style="list-style-type: none"> • the bore is used solely for a basic landholder right • the bore is a replacement bore • the bore is used for monitoring, environmental remediation activities or emergency services • the location of the bore at a lesser distance will have no more than minimal harm to any groundwater-dependent, culturally significant sites.

Type	Current rules	Proposed rules
<p>Rules for bores used solely for basic landholder rights</p>	<p>Water supply works (bores) used solely for basic landholder rights must not be granted or amended if the bore is located within:</p> <ul style="list-style-type: none"> • 100 m of a government monitoring bore • 40 m from the top of the high bank of a river • 100 m of any other high-priority, groundwater-dependent ecosystem • 100 m of a groundwater-dependent, culturally significant area. <p>These location distance restrictions do not apply if:</p> <ul style="list-style-type: none"> • the bore is a replacement bore • a lesser distance would result in no more than minimal harm to any high-priority, groundwater-dependent ecosystem • a lesser distance would result in no more than minimal harm to any groundwater-dependent, culturally significant area. 	<p>No change.</p>
<p>Replacement groundwater works</p>	<p>A replacement water supply work (bore) must be located within:</p> <ul style="list-style-type: none"> • 20 m of the existing bore • no closer to the river than the bore being replaced if within 40 m of the top of the high bank of the river. <p>The replacement bore must not have a greater internal diameter or excavation footprint than the existing bore, unless the existing bore's internal diameter is:</p> <ul style="list-style-type: none"> • no longer manufactured, in which case it may be no greater than 120 % of the current internal diameter • less than 100 mm, in which case the internal diameter must be no more than 100 mm. 	<p>No change.</p>

Table 8 Draft water trading (dealing) rules

Type	Current rules	Proposed rules
<p>Trading covers conversion of access licence to a new category (for example from unregulated river to aquifer), assignment of rights dealings (trading of a licence), share component dealings between water sources (trading of entitlement between water sources), water allocation dealings (trading an annual allocation) and water supply works dealings (relocation of an extraction point).</p>		
INTO water source	No trade allowed into this water source.	No change.
WITHIN water source	Allowed.	No change.
Surface to ground	Allowed.	No change.
Ground to surface	Not allowed.	No change.
Convert to high flow	Not allowed.	No change.

Key factors for decisions

Pambula Lake Tributaries Water Source has very high ecological values and high stress from extraction in low flows. A cease to pump rule is proposed to be set at 0.5 ML/day, and a commence to pump rule at 3.4 ML/day to alleviate this stress.

Public exhibition

The Department of Planning and Environment seeks feedback from the public on the suitability of the proposed rules for this water source.

The draft Towamba River Unregulated and Alluvial Water Sharing Plan and supporting fact sheets are available from the department's [Public Exhibition website](#).