

## Rules summary sheet: Albury Water Source

### *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*

<b>Plan commencement</b>	30 January 2012
<b>Term of the plan</b>	10 years

**Important:** This factsheet summarises the rules contained in the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*. It is intended as a guide only. Works approvals and access licences also contain conditions that holders must comply with. You can access this information from your 'Statement of Approval' or 'Statement of Conditions' or alternatively via <https://waterregister.watarnsw.com.au/water-register-frame>.

## Access Rules

### Access rules for rivers and creeks

Cease to pump	<p>Pumping is not permitted when there is less than a visible flow</p> <p><b>Note:</b> 'Visible flow' is equivalent to full flow through a 200 mm pipe</p> <p><b>Note:</b> These rules apply to all extraction from rivers and creeks excluding extraction from natural in-river pools</p>
Reference point	At the pump site

### Access rules for natural in-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> In-river pools are those found within the channels of rivers and creeks</p>
Reference point	Individual in-river pool

### Access rules for natural off-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than 80% of its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> Off-river pools are those located on flood runners or floodplains, or an effluent that only commences to flow during high flows, and include lakes, lagoons and billabongs.</p>
---------------	---

Reference point	Individual off-river pool
-----------------	---------------------------

## Notes:

These access rules do not apply:

1. If an existing *Water Act 1912* entitlement had more stringent access licence conditions. Those existing conditions are carried forward under the plan.
2. To local water utility or unregulated river (“Town water supply”) access licences
3. To water taken for domestic consumption by stock and domestic access licences
4. To water taken from existing dams. Any existing conditions on works approvals or access licences associated with a dam are carried forward under the plan.

## Trading rules

Trade type	Rules
Into water source	Not permitted
Within water source	Trades are permitted, subject to assessment
Interstate	Not permitted

More information about the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011* is available at the Department of Planning, Industry and Environment’s website:

[www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

© State of New South Wales through Department of Planning, Industry and Environment 2020. The information contained in this publication is based on knowledge and understanding at the time of writing (July 2020). However, because of advances in knowledge, users are reminded of the need to ensure that the information upon which they rely is up to date and to check the currency of the information with the appropriate officer of the Department of Planning, Industry and Environment or the user’s independent adviser.

## Rules summary sheet: Dora Dora Water Source

### *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*

<b>Plan commencement</b>	30 January 2012
<b>Term of the plan</b>	10 years

**Important:** This factsheet summarises the rules contained in the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*. It is intended as a guide only. Works approvals and access licences also contain conditions that holders must comply with. You can access this information from your 'Statement of Approval' or 'Statement of Conditions' or alternatively via <https://waterregister.watarnsw.com.au/water-register-frame>.

## Access Rules

Access rules for rivers and creeks	
Cease to pump	<p>Pumping is not permitted when there is less than a visible flow</p> <p><b>Note:</b> 'Visible flow' is equivalent to full flow through a 200 mm pipe</p> <p><b>Note:</b> These rules apply to all extraction from rivers and creeks excluding extraction from natural in-river pools</p>
Reference point	At the pump site
Access rules for natural in-river pools	
Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> In-river pools are those found within the channels of rivers and creeks</p>
Reference point	Individual in-river pool
Access rules for natural off-river pools	
Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than 80% of its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> Off-river pools are those located on flood runners or floodplains, or an effluent that only commences to flow during high flows, and include lakes, lagoons and billabongs.</p>

Reference point	Individual off-river pool
-----------------	---------------------------

## Notes:

These access rules do not apply:

1. If an existing *Water Act 1912* entitlement had more stringent access licence conditions. Those existing conditions are carried forward under the plan.
2. To local water utility or unregulated river ("Town water supply") access licences
3. To water taken for domestic consumption by stock and domestic access licences
4. To water taken from existing dams. Any existing conditions on works approvals or access licences associated with a dam are carried forward under the plan.

## Trading rules

Trade type	Rules
Into water source	Not permitted
Within water source	N/A, as there are no licences within the water source
Interstate	Not permitted

More information about the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011* is available at the Department of Planning, Industry and Environment's website: [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

© State of New South Wales through Department of Planning, Industry and Environment 2020. The information contained in this publication is based on knowledge and understanding at the time of writing (July 2020). However, because of advances in knowledge, users are reminded of the need to ensure that the information upon which they rely is up to date and to check the currency of the information with the appropriate officer of the Department of Planning, Industry and Environment or the user's independent adviser.

## Rules summary sheet: Hume Water Source

### *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*

<b>Plan commencement</b>	30 January 2012
<b>Term of the plan</b>	10 years

**Important:** This factsheet summarises the rules contained in the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*. It is intended as a guide only. Works approvals and access licences also contain conditions that holders must comply with. You can access this information from your 'Statement of Approval' or 'Statement of Conditions' or alternatively via <https://waterregister.watarnsw.com.au/water-register-frame>.

## Access Rules

### Access rules for rivers and creeks

Cease to pump	<p>Pumping is not permitted when there is less than a visible flow</p> <p><b>Note:</b> 'Visible flow' is equivalent to full flow through a 200 mm pipe</p> <p><b>Note:</b> These rules apply to all extraction from rivers and creeks excluding extraction from natural in-river pools</p>
Reference point	At the pump site

### Access rules for natural in-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> In-river pools are those found within the channels of rivers and creeks</p>
Reference point	Individual in-river pool

### Access rules for natural off-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than 80% of its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> Off-river pools are those located on flood runners or floodplains, or an effluent that only commences to flow during high flows, and include lakes, lagoons and billabongs.</p>
---------------	---

Reference point	Individual off-river pool
-----------------	---------------------------

## Notes:

These access rules do not apply:

1. If an existing *Water Act 1912* entitlement had more stringent access licence conditions. Those existing conditions are carried forward under the plan.
2. To local water utility or unregulated river (“Town water supply”) access licences
3. To water taken for domestic consumption by stock and domestic access licences
4. To water taken from existing dams. Any existing conditions on works approvals or access licences associated with a dam are carried forward under the plan.

## Trading rules

Trade type	Rules
Into water source	Not permitted
Within water source	Trades are permitted, subject to assessment
Interstate	Not permitted

More information about the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011* is available at the Department of Planning, Industry and Environment’s website:  
[www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

© State of New South Wales through Department of Planning, Industry and Environment 2020. The information contained in this publication is based on knowledge and understanding at the time of writing (July 2020). However, because of advances in knowledge, users are reminded of the need to ensure that the information upon which they rely is up to date and to check the currency of the information with the appropriate officer of the Department of Planning, Industry and Environment or the user’s independent adviser.

## Rules summary sheet: Indi Water Source

### *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*

<b>Plan commencement</b>	30 January 2012
<b>Term of the plan</b>	10 years

**Important:** This factsheet summarises the rules contained in the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*. It is intended as a guide only. Works approvals and access licences also contain conditions that holders must comply with. You can access this information from your 'Statement of Approval' or 'Statement of Conditions' or alternatively via <https://waterregister.watarnsw.com.au/water-register-frame>.

## Access Rules

Access rules for rivers and creeks		
Cease to pump	Very Low Flow Class	Users must cease to pump when the flow at the reference point is less than or equal to 87 ML/day
	A Class	Users can commence to pump when the flow at the reference point is more than 87 ML/day <b>Note:</b> A Total Daily Extraction Limit applies (see clause 45 of the plan). Pumping of up to 24 ML/day in total between all users is permitted. This equates to 1% of licensed entitlement.
	B Class	Users can commence to pump when the flow at the reference point is more than 157 ML/day
	C Class	Users can commence to pump when the flow at the reference point is more than 467 ML/day
	<b>Note:</b> These rules apply to all extraction from rivers and creeks in this water source including from natural in-river pools within the channels of rivers and creeks	
Reference point	Murray River at Biggara gauge (401012)	

## Access rules for natural off-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than 80% of its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> Off-river pools are those located on flood runners or floodplains, or an effluent that only commences to flow during high flows, and include lakes, lagoons and billabongs.</p>
Reference point	Individual off-river pool

### Notes:

These access rules do not apply:

1. If an existing *Water Act 1912* entitlement had more stringent access licence conditions. Those existing conditions are carried forward under the plan.
2. To local water utility or unregulated river ("Town water supply") access licences
3. To water taken for domestic consumption by stock and domestic access licences
4. To water taken from existing dams. Any existing conditions on works approvals or access licences associated with a dam are carried forward under the plan.

## Trading rules

Trade type	Rules
Into water source	Trades permitted in, subject to moderate flows of more than 467 ML/day (equating to the 70 <sup>th</sup> percentile of flows on all days) and limited to 3,238 ML/year (being 10% of the moderate flow index, over 120 days, less the volume of entitlement which existed when the plan commenced)
Within water source	Trades are permitted, subject to assessment
Interstate	Not permitted.

More information about the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011* is available at the Department of Planning, Industry and Environment's website:

[www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

© State of New South Wales through Department of Planning, Industry and Environment 2020. The information contained in this publication is based on knowledge and understanding at the time of writing (July 2020). However, because of advances in knowledge, users are reminded of the need to ensure that the information upon which they rely is up to date and to check the currency of the information with the appropriate officer of the Department of Planning, Industry and Environment or the user's independent adviser.

## Rules summary sheet: Jingellic Water Source

### *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*

<b>Plan commencement</b>	30 January 2012
<b>Term of the plan</b>	10 years

**Important:** This factsheet summarises the rules contained in the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*. It is intended as a guide only. Works approvals and access licences also contain conditions that holders must comply with. You can access this information from your 'Statement of Approval' or 'Statement of Conditions' or alternatively via <https://waterregister.waternsw.com.au/water-register-frame>.

## Access Rules

Access rules for rivers and creeks		
Cease to pump	Very Low Flow Class	Users must cease to pump when the flow at the reference point is less than or equal to 10 ML/day
	A Class	Users can commence to pump when the flow at the reference point is more than 10 ML/day
	<b>Note:</b> These rules apply to all extraction from rivers and creeks in this water source including from natural in-river pools within the channels of rivers and creeks	
Reference point	Jingellic Creek at Jingellic gauge (401013)	

Access rules for natural off-river pools	
Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than 80% of its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> Off-river pools are those located on flood runners or floodplains, or an effluent that only commences to flow during high flows, and include lakes, lagoons and billabongs.</p>
Reference point	Individual off-river pool

## Notes:

These access rules do not apply:

1. If an existing *Water Act 1912* entitlement had more stringent access licence conditions. Those existing conditions are carried forward under the plan.
2. To local water utility or unregulated river (“Town water supply”) access licences
3. To water taken for domestic consumption by stock and domestic access licences
4. To water taken from existing dams. Any existing conditions on works approvals or access licences associated with a dam are carried forward under the plan.

## Trading rules

Trade type	Rules
Into water source	Not permitted
Within water source	Trades are permitted, subject to assessment
Interstate	Not permitted.

More information about the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011* is available at the Department of Planning, Industry and Environment’s website:  
[www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

© State of New South Wales through Department of Planning, Industry and Environment 2020. The information contained in this publication is based on knowledge and understanding at the time of writing (July 2020). However, because of advances in knowledge, users are reminded of the need to ensure that the information upon which they rely is up to date and to check the currency of the information with the appropriate officer of the Department of Planning, Industry and Environment or the user’s independent adviser.

## Rules summary sheet: Lower Wangamong Water Source

### *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*

<b>Plan commencement</b>	30 January 2012
<b>Term of the plan</b>	10 years

**Important:** This factsheet summarises the rules contained in the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*. It is intended as a guide only. Works approvals and access licences also contain conditions that holders must comply with. You can access this information from your 'Statement of Approval' or 'Statement of Conditions' or alternatively via <https://waterregister.watarnsw.com.au/water-register-frame>.

## Access Rules

### Access rules for rivers and creeks

Cease to pump	<p>Pumping is not permitted when there is less than a visible flow</p> <p><b>Note:</b> 'Visible flow' is equivalent to full flow through a 200 mm pipe</p> <p><b>Note:</b> These rules apply to all extraction from rivers and creeks excluding extraction from natural in-river pools</p>
Reference point	At the pump site

### Access rules for natural in-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> In-river pools are those found within the channels of rivers and creeks</p>
Reference point	Individual in-river pool

### Access rules for natural off-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than 80% of its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> Off-river pools are those located on flood runners or floodplains, or an effluent that only commences to flow during high flows, and include lakes, lagoons and billabongs.</p>
---------------	---

Reference point	Individual off-river pool
-----------------	---------------------------

## Notes:

These access rules do not apply:

1. If an existing *Water Act 1912* entitlement had more stringent access licence conditions. Those existing conditions are carried forward under the plan.
2. To local water utility or unregulated river (“Town water supply”) access licences
3. To water taken for domestic consumption by stock and domestic access licences
4. To water taken from existing dams. Any existing conditions on works approvals or access licences associated with a dam are carried forward under the plan.

## Trading rules

Trade type	Rules
Into water source	Not permitted
Within water source	Trades are permitted, subject to assessment
Interstate	Not permitted

More information about the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011* is available at the Department of Planning, Industry and Environment’s website:  
[www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

© State of New South Wales through Department of Planning, Industry and Environment 2020. The information contained in this publication is based on knowledge and understanding at the time of writing (July 2020). However, because of advances in knowledge, users are reminded of the need to ensure that the information upon which they rely is up to date and to check the currency of the information with the appropriate officer of the Department of Planning, Industry and Environment or the user’s independent adviser.

## Rules summary sheet: Majors Water Source

### *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*

<b>Plan commencement</b>	30 January 2012
<b>Term of the plan</b>	10 years

**Important:** This factsheet summarises the rules contained in the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*. It is intended as a guide only. Works approvals and access licences also contain conditions that holders must comply with. You can access this information from your 'Statement of Approval' or 'Statement of Conditions' or alternatively via <https://waterregister.watarnsw.com.au/water-register-frame>.

## Access Rules

### Access rules for rivers and creeks

Cease to pump	<p>Pumping is not permitted when there is less than a visible flow</p> <p><b>Note:</b> 'Visible flow' is equivalent to full flow through a 200 mm pipe</p> <p><b>Note:</b> These rules apply to all extraction from rivers and creeks excluding extraction from natural in-river pools</p>
Reference point	At the pump site

### Access rules for natural in-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> In-river pools are those found within the channels of rivers and creeks</p>
Reference point	Individual in-river pool

### Access rules for natural off-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than 80% of its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> Off-river pools are those located on flood runners or floodplains, or an effluent that only commences to flow during high flows, and include lakes, lagoons and billabongs.</p>
---------------	---

Reference point	Individual off-river pool
-----------------	---------------------------

## Notes:

These access rules do not apply:

1. If an existing *Water Act 1912* entitlement had more stringent access licence conditions. Those existing conditions are carried forward under the plan.
2. To local water utility or unregulated river (“Town water supply”) access licences
3. To water taken for domestic consumption by stock and domestic access licences
4. To water taken from existing dams. Any existing conditions on works approvals or access licences associated with a dam are carried forward under the plan.

## Trading rules

Trade type	Rules
Into water source	Not permitted
Within water source	Trades are permitted, subject to assessment
Interstate	Not permitted

More information about the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011* is available at the Department of Planning, Industry and Environment’s website:  
[www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

© State of New South Wales through Department of Planning, Industry and Environment 2020. The information contained in this publication is based on knowledge and understanding at the time of writing (July 2020). However, because of advances in knowledge, users are reminded of the need to ensure that the information upon which they rely is up to date and to check the currency of the information with the appropriate officer of the Department of Planning, Industry and Environment or the user’s independent adviser.

## Rules summary sheet: Mannus Water Source

### *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*

<b>Plan commencement</b>	30 January 2012
<b>Term of the plan</b>	10 years

**Important:** This factsheet summarises the rules contained in the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*. It is intended as a guide only. Works approvals and access licences also contain conditions that holders must comply with. You can access this information from your 'Statement of Approval' or 'Statement of Conditions' or alternatively via <https://waterregister.watarnsw.com.au/water-register-frame>.

## Access Rules

Mannus Upstream Management Zone		
Cease to pump	Very Low Flow Class	Users must cease to pump when the flow at Mannus Creek at Glenroy No. 2 gauge is less than or equal to 0.2 ML/day
	A Class	Users may commence to pump when the flow at Mannus Creek at Glenroy No. 2 gauge is above 0.2 ML/day and less than or equal to 61 ML/day at Mannus Creek at Yarramundi gauge
	B Class	Users may commence to pump when the flow at Mannus Creek at Glenroy No. 2 gauge is above 0.2 ML/day and more than 61 ML/day at Mannus Creek at Yarramundi gauge
	<b>Note:</b> These rules apply to all extraction from rivers and creeks in this management zone including from natural in-river pools within the channels of rivers and creeks	
Reference point	Mannus Creek at Glenroy No. 2 gauge (401029) and Mannus Creek at Yarramundi gauge (401017)	

Mannus Downstream Management Zone		
Cease to pump	Very Low Flow Class	Users must cease to pump when the flow at the reference point is less than or equal to 9.4 ML/day
	A Class	Users may commence to pump when flow at the reference point is more than 9.4 ML/day
	B Class	Users may commence to pump when the flow at the reference point is greater than 61 ML/day

	<b>Note:</b> These rules apply to all extraction from rivers and creeks in this management zone including from natural in-river pools within the channels of rivers and creeks
Reference point	Mannus Creek at Yarramundi gauge (401017)
<b>Access rules for natural off-river pools</b>	
Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than 80% of its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> Off-river pools are those located on flood runners or floodplains, or an effluent that only commences to flow during high flows, and include lakes, lagoons and billabongs</p>
Reference point	Individual off-river pool

**Notes:**

These access rules do not apply:

1. If an existing *Water Act 1912* entitlement had more stringent access licence conditions. Those existing conditions are carried forward under the plan.
2. To local water utility or unregulated river ("Town water supply") access licences
3. To water taken for domestic consumption by stock and domestic access licences
4. To water taken from existing dams. Any existing conditions on works approvals or access licences associated with a dam are carried forward under the plan.

## Trading rules

Trade type	Rules
<b>Into</b> water source	Permitted, provided that the entitlements in the management zones do not exceed the respective entitlements at the commencement of the plan plus 1,310 unit shares in the Mannus Upstream Management Zone or 1,668 unit shares in the Mannus Downstream Management Zone
<b>Within</b> water source	Trades are permitted, except into off-river pools
<b>Interstate</b>	Not permitted.

More information about the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011* is available at the Department of Planning, Industry and Environment's website:

[www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

---

© State of New South Wales through Department of Planning, Industry and Environment 2020. The information contained in this publication is based on knowledge and understanding at the time of writing (July 2020). However, because of advances in knowledge, users are reminded of the need to ensure that the information upon which they rely is up to date and to check the currency of the information with the appropriate officer of the Department of Planning, Industry and Environment or the user's independent adviser.

## Rules summary sheet: Maragle Water Source

### *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*

<b>Plan commencement</b>	30 January 2012
<b>Term of the plan</b>	10 years

**Important:** This factsheet summarises the rules contained in the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*. It is intended as a guide only. Works approvals and access licences also contain conditions that holders must comply with. You can access this information from your 'Statement of Approval' or 'Statement of Conditions' or alternatively via <https://waterregister.watarnsw.com.au/water-register-frame>.

## Access Rules

Access rules for rivers and creeks		
Cease to pump	Very Low Flow Class	Users must cease to pump when the flow at the reference point is less than or equal to 10 ML/day
	A Class	Users can commence to pump when the flow at the reference point is more than 10 ML/day
	B Class	Users can commence to pump when the flow at the reference point is more than 41 ML/day
	<b>Note:</b> These rules apply to all extraction from rivers and creeks in this water source including from natural in-river pools within the channels of rivers and creeks	
Reference point	Maragle Creek at Maragle gauge (401009)	

Access rules for natural off-river pools	
Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than 80% of its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> Off-river pools are those located on flood runners or floodplains, or an effluent that only commences to flow during high flows, and include lakes, lagoons and billabongs.</p>
Reference point	Individual off-river pool

## Notes:

These access rules do not apply:

1. If an existing *Water Act 1912* entitlement had more stringent access licence conditions. Those existing conditions are carried forward under the plan.
2. To local water utility or unregulated river (“Town water supply”) access licences
3. To water taken for domestic consumption by stock and domestic access licences
4. To water taken from existing dams. Any existing conditions on works approvals or access licences associated with a dam are carried forward under the plan.

## Trading rules

Trade type	Rules
Into water source	Trades permitted in, subject to high flows of more than 41 ML/day (equating to the 50 <sup>th</sup> percentile of flows on all days) and limited to 567 ML/year (being 20% of the high flow index, over 120 days, less the volume of entitlement which existed when the plan commenced)
Within water source	Trades are permitted, subject to assessment
Interstate	Not permitted.

More information about the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011* is available at the Department of Planning, Industry and Environment’s website:

[www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

© State of New South Wales through Department of Planning, Industry and Environment 2020. The information contained in this publication is based on knowledge and understanding at the time of writing (July 2020). However, because of advances in knowledge, users are reminded of the need to ensure that the information upon which they rely is up to date and to check the currency of the information with the appropriate officer of the Department of Planning, Industry and Environment or the user’s independent adviser.

## Rules summary sheet: Murray Below Mulwala Water Source

### *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*

<b>Plan commencement</b>	30 January 2012
<b>Term of the plan</b>	10 years

**Important:** This factsheet summarises the rules contained in the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*. It is intended as a guide only. Works approvals and access licences also contain conditions that holders must comply with. You can access this information from your 'Statement of Approval' or 'Statement of Conditions' or alternatively via <https://waterregister.watarnsw.com.au/water-register-frame>.

## Access Rules

### Access rules for rivers and creeks

Cease to pump	<p>Pumping is not permitted when there is less than a visible flow</p> <p><b>Note:</b> 'Visible flow' is equivalent to full flow through a 200 mm pipe</p> <p><b>Note:</b> These rules apply to all extraction from rivers and creeks excluding extraction from natural in-river pools</p>
Reference point	At the pump site

### Access rules for natural in-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> In-river pools are those found within the channels of rivers and creeks</p>
Reference point	Individual in-river pool

### Access rules for natural off-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than 80% of its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> Off-river pools are those located on flood runners or floodplains, or an effluent that only commences to flow during high flows, and include lakes, lagoons and billabongs.</p>
---------------	---

Reference point	Individual off-river pool
-----------------	---------------------------

## Notes:

These access rules do not apply:

1. If an existing *Water Act 1912* entitlement had more stringent access licence conditions. Those existing conditions are carried forward under the plan. Appendix 3 of the plan lists relevant access licences in the Murray Below Mulwala Water Source.
2. To local water utility or unregulated river (“Town water supply”) access licences
3. To water taken for domestic consumption by stock and domestic access licences
4. To water taken from existing dams. Any existing conditions on works approvals or access licences associated with a dam are carried forward under the plan.\

## Trading rules

Trade type	Rules
Into water source	Not permitted
Within water source	Trades are permitted, subject to assessment
Interstate	Not permitted

More information about the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011* is available at the Department of Planning, Industry and Environment’s website:

[www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

© State of New South Wales through Department of Planning, Industry and Environment 2020. The information contained in this publication is based on knowledge and understanding at the time of writing (July 2020). However, because of advances in knowledge, users are reminded of the need to ensure that the information upon which they rely is up to date and to check the currency of the information with the appropriate officer of the Department of Planning, Industry and Environment or the user’s independent adviser.

## Rules summary sheet: Ournie Welaregang Water Source

### *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*

<b>Plan commencement</b>	30 January 2012
<b>Term of the plan</b>	10 years

**Important:** This factsheet summarises the rules contained in the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*. It is intended as a guide only. Works approvals and access licences also contain conditions that holders must comply with. You can access this information from your 'Statement of Approval' or 'Statement of Conditions' or alternatively via <https://waterregister.watarnsw.com.au/water-register-frame>.

## Access Rules

### Access rules for rivers and creeks

Cease to pump	<p>Pumping is not permitted when there is less than a visible flow</p> <p><b>Note:</b> 'Visible flow' is equivalent to full flow through a 200 mm pipe</p> <p><b>Note:</b> These rules apply to all extraction from rivers and creeks excluding extraction from natural in-river pools</p>
Reference point	At the pump site

### Access rules for natural in-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> In-river pools are those found within the channels of rivers and creeks</p>
Reference point	Individual in-river pool

### Access rules for natural off-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than 80% of its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> Off-river pools are those located on flood runners or floodplains, or an effluent that only commences to flow during high flows, and include lakes, lagoons and billabongs.</p>
---------------	---

Reference point	Individual off-river pool
-----------------	---------------------------

## Notes:

These access rules do not apply:

1. If an existing *Water Act 1912* entitlement had more stringent access licence conditions. Those existing conditions are carried forward under the plan.
2. To local water utility or unregulated river (“Town water supply”) access licences
3. To water taken for domestic consumption by stock and domestic access licences
4. To water taken from existing dams. Any existing conditions on works approvals or access licences associated with a dam are carried forward under the plan.

## Trading rules

Trade type	Rules
Into water source	Not permitted
Within water source	Trades are permitted, subject to assessment
Interstate	Not permitted

More information about the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011* is available at the Department of Planning, Industry and Environment’s website:  
[www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

© State of New South Wales through Department of Planning, Industry and Environment 2020. The information contained in this publication is based on knowledge and understanding at the time of writing (July 2020). However, because of advances in knowledge, users are reminded of the need to ensure that the information upon which they rely is up to date and to check the currency of the information with the appropriate officer of the Department of Planning, Industry and Environment or the user’s independent adviser.

## Rules summary sheet: Swampy Plain Water Source

### *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*

<b>Plan commencement</b>	30 January 2012
<b>Term of the plan</b>	10 years

**Important:** This factsheet summarises the rules contained in the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*. It is intended as a guide only. Works approvals and access licences also contain conditions that holders must comply with. You can access this information from your 'Statement of Approval' or 'Statement of Conditions' or alternatively via <https://waterregister.watarnsw.com.au/water-register-frame>.

## Access Rules

### Access rules for rivers and creeks

Cease to pump	<p>Pumping is not permitted when there is less than a visible flow</p> <p><b>Note:</b> 'Visible flow' is equivalent to full flow through a 200 mm pipe</p> <p><b>Note:</b> These rules apply to all extraction from rivers and creeks excluding extraction from natural in-river pools</p>
Reference point	At the pump site

### Access rules for natural in-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> In-river pools are those found within the channels of rivers and creeks</p>
Reference point	Individual in-river pool

### Access rules for natural off-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than 80% of its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> Off-river pools are those located on flood runners or floodplains, or an effluent that only commences to flow during high flows, and include lakes, lagoons and billabongs.</p>
---------------	---

Reference point	Individual off-river pool
-----------------	---------------------------

## Notes:

These access rules do not apply:

1. If an existing *Water Act 1912* entitlement had more stringent access licence conditions. Those existing conditions are carried forward under the plan.
2. To local water utility or unregulated river (“Town water supply”) access licences
3. To water taken for domestic consumption by stock and domestic access licences
4. To water taken from existing dams. Any existing conditions on works approvals or access licences associated with a dam are carried forward under the plan.

## Trading rules

Trade type	Rules
Into water source	Not permitted
Within water source	Trades are permitted, subject to assessment
Interstate	Not permitted

More information about the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011* is available at the Department of Planning, Industry and Environment’s website:  
[www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

© State of New South Wales through Department of Planning, Industry and Environment 2020. The information contained in this publication is based on knowledge and understanding at the time of writing (July 2020). However, because of advances in knowledge, users are reminded of the need to ensure that the information upon which they rely is up to date and to check the currency of the information with the appropriate officer of the Department of Planning, Industry and Environment or the user’s independent adviser.

## Rules summary sheet: Tooma Water Source

### *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*

<b>Plan commencement</b>	30 January 2012
<b>Term of the plan</b>	10 years

**Important:** This factsheet summarises the rules contained in the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*. It is intended as a guide only. Works approvals and access licences also contain conditions that holders must comply with. You can access this information from your 'Statement of Approval' or 'Statement of Conditions' or alternatively via <https://waterregister.watarnsw.com.au/water-register-frame>.

## Access Rules

Tooma River Management Zone		
Cease to pump	Very Low Flow Class	Users must cease to pump when the flow at the reference point is less than or equal to 79 ML/day
	A Class	Users may commence to pump when the flow at the reference point is more than 79 ML/day
	B Class	Users may commence to pump when the flow at the reference point is more than 297 ML/day
	<p><b>Note:</b> These rules apply to all extraction from rivers and creeks in this management zone including from natural in-river pools within the channels of rivers and creeks</p> <p><b>Note:</b> This management zone applies only to the Tooma River</p>	
Reference point	Tooma River at Pinegrove gauge (401014)	

Tooma Tributaries Management Zone	
Cease to pump	<p>Pumping is not permitted when there is less than a visible flow</p> <p><b>Note:</b> 'Visible flow' is equivalent to full flow through a 200 mm pipe</p> <p><b>Note:</b> These rules apply to all extraction from rivers and creeks in this management zone including from natural in-river pools within the channels of rivers and creeks</p> <p><b>Note:</b> This management zone applies to all of Tooma Water Source but excluding Tooma River</p>
Reference point	At the pump site

### Access rules for natural off-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than 80% of its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> Off-river pools are those located on flood runners or floodplains, or an effluent that only commences to flow during high flows, and include lakes, lagoons and billabongs</p>
Reference point	Individual off-river pool

## Notes:

These access rules do not apply:

1. If an existing *Water Act 1912* entitlement had more stringent access licence conditions. Those existing conditions are carried forward under the plan.
2. To local water utility or unregulated river ("Town water supply") access licences
3. To water taken for domestic consumption by stock and domestic access licences
4. To water taken from existing dams. Any existing conditions on works approvals or access licences associated with a dam are carried forward under the plan.

## Trading rules

Trade type	Rules
Into water source	<p>Permitted into Tooma River Management Zone, provided that the entitlements in this management zone do not exceed the entitlements at the commencement of the plan plus 2,177 unit shares</p> <p>Not permitted into Tooma Tributaries Management Zone</p>
Within water source	Trades are permitted, except into off-river pools
Interstate	Not permitted.

More information about the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011* is available at the Department of Planning, Industry and Environment's website:

[www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

© State of New South Wales through Department of Planning, Industry and Environment 2020. The information contained in this publication is based on knowledge and understanding at the time of writing (July 2020). However, because of advances in knowledge, users are reminded of the need to ensure that the information upon which they rely is up to date and to check the currency of the information with the appropriate officer of the Department of Planning, Industry and Environment or the user's independent adviser.

## Rules summary sheet: Tumbarumba Water Source

### *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*

<b>Plan commencement</b>	30 January 2012
<b>Term of the plan</b>	10 years

**Important:** This factsheet summarises the rules contained in the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*. It is intended as a guide only. Works approvals and access licences also contain conditions that holders must comply with. You can access this information from your 'Statement of Approval' or 'Statement of Conditions' or alternatively via <https://waterregister.watarnsw.com.au/water-register-frame>.

## Access Rules

### Tumbarumba Upstream Management Zone

Cease to pump	Very Low Flow Class	Users must cease to pump when the flow at the reference point is less than or equal to 14 ML/day
	A Class	Users may commence to pump when the flow at the reference point is more than 14 ML/day
	B Class	Users may commence to pump when the flow at the reference point is more than 79 ML/day
	<p><b>Note:</b> These rules apply to all extraction from rivers and creeks in this management zone including from natural in-river pools within the channels of rivers and creeks</p> <p><b>Note:</b> This management zone is the area of the water source upstream of Paddys River</p>	
Reference point	Tumbarumba Creek at Tumbarumba No. 2 gauge (401007)	

### Tumbarumba Downstream Management Zone

Cease to pump	Very Low Flow Class	Users must cease to pump when the flow at the reference point is less than or equal to 32 ML/day
	A Class	Users may commence to pump when the flow at the reference point is more than 32 ML/day
	B Class	Users may commence to pump when the flow at the reference point is more than 120 ML/day

**Note:** These rules apply to all extraction from rivers and creeks in this management zone including from natural in-river pools within the channels of rivers and creeks

**Note:** This management zone is the area of the water source downstream of Paddys River

Reference point	Tumbarumba Creek at Tooma (Bakers) gauge (401024)
-----------------	---

### Access rules for natural off-river pools

Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than 80% of its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> Off-river pools are those located on flood runners or floodplains, or an effluent that only commences to flow during high flows, and include lakes, lagoons and billabongs</p>
---------------	--

Reference point	Individual off-river pool
-----------------	---------------------------

**Notes:**

These access rules do not apply:

1. If an existing *Water Act 1912* entitlement had more stringent access licence conditions. Those existing conditions are carried forward under the plan.
2. To local water utility or unregulated river ("Town water supply") access licences
3. To water taken for domestic consumption by stock and domestic access licences
4. To water taken from existing dams. Any existing conditions on works approvals or access licences associated with a dam are carried forward under the plan.

## Trading rules

Trade type	Rules
Into water source	Permitted, provided that the entitlements in the management zones do not exceed the entitlements at the commencement of the plan plus 1,233 unit shares in the Tumbarumba Upstream Management Zone or 960 unit shares in the Tumbarumba Downstream Management Zone, respectively.
Within water source	Trades are permitted, except into off-river pools
Interstate	Not permitted.

More information about the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011* is available at the Department of Planning, Industry and Environment's website:

[www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

---

© State of New South Wales through Department of Planning, Industry and Environment 2020. The information contained in this publication is based on knowledge and understanding at the time of writing (July 2020). However, because of advances in knowledge, users are reminded of the need to ensure that the information upon which they rely is up to date and to check the currency of the information with the appropriate officer of the Department of Planning, Industry and Environment or the user's independent adviser.

## Rules summary sheet: Upper Murray River Water Source

### *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*

<b>Plan commencement</b>	30 January 2012
<b>Term of the plan</b>	10 years

**Important:** This factsheet summarises the rules contained in the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011*. It is intended as a guide only. Works approvals and access licences also contain conditions that holders must comply with. You can access this information from your 'Statement of Approval' or 'Statement of Conditions' or alternatively via <https://waterregister.watarnsw.com.au/water-register-frame>.

## Access Rules

Access rules for rivers and creeks		
Cease to pump	Very Low Flow Class	Users must cease to pump when the flow at the reference point is less than or equal to 600 ML/day
	A Class	Users can commence to pump when the flow at the reference point is more than 600 ML/day
	<b>Note:</b> These rules apply to all extraction from rivers and creeks in this water source including from natural in-river pools within the channels of rivers and creeks	
Reference point	Murray River at Jingellic gauge (401201A)	

Access rules for natural off-river pools	
Cease to pump	<p>Pumping is not permitted when the water level in the pool is lower than 80% of its full capacity</p> <p><b>Note:</b> 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool</p> <p><b>Note:</b> Off-river pools are those located on flood runners or floodplains, or an effluent that only commences to flow during high flows, and include lakes, lagoons and billabongs.</p>
Reference point	Individual off-river pool

## Notes:

These access rules do not apply:

1. If an existing *Water Act 1912* entitlement had more stringent access licence conditions. Those existing conditions are carried forward under the plan.
2. To local water utility or unregulated river (“Town water supply”) access licences
3. To water taken for domestic consumption by stock and domestic access licences
4. To water taken from existing dams. Any existing conditions on works approvals or access licences associated with a dam are carried forward under the plan.

## Trading rules

Trade type	Rules
Into water source	Trades are permitted, subject to assessment
Within water source	Trades are permitted, subject to assessment
Interstate	Not permitted.

More information about the *Water Sharing Plan for the Murray Unregulated River Water Sources 2011* is available at the Department of Planning, Industry and Environment’s website:  
[www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

© State of New South Wales through Department of Planning, Industry and Environment 2020. The information contained in this publication is based on knowledge and understanding at the time of writing (July 2020). However, because of advances in knowledge, users are reminded of the need to ensure that the information upon which they rely is up to date and to check the currency of the information with the appropriate officer of the Department of Planning, Industry and Environment or the user’s independent adviser.