

Trading rules	
INTO water source	Permitted, from, Apsley Gorge, Apsley River, Bakers Creek, Blue Mountain Creek, Chandler Gorge, Chandler River, Christmas Creek, Coastal Macleay, Collombatti Creek, Commissioners Waters, Dungay Creek, Dyke Creek, Euroka Creek, Five Day Creek, Gara River, Georges River, Gills Bridge Creek, Green Gully, Hickeys Creek, Kunderang Creek, Macleay Gorges, Macleay Valley, Malpas Dam, Mungay Creek, Oaky River, Salisbury Waters, Stockyard Creek, Styx River, Tia River, Toorumbbee Creek, Warbro Creek, Yarrowitch River water sources but only up to a maximum of 230ML.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Macleay Unregulated and Alluvial Water Sources is available at the DPI Water website: www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Oaky River Water Source

Water sharing plan	Macleay Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for surface waters

Cease to pump	<p>Pumping is not permitted from natural pools when the water level in the pool is lower than its full capacity.</p> <p>Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool.</p> <p>Note: Natural pools include in-river pools found within the channels of rivers and creeks and off-river pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.</p> <p>Note: For the minority of pump sites not within a natural pool, these licences will be required to cease to pump when there is no visible flow at that pump site.</p>
Reference point	Individual natural pool.

Note: Existing *Water Act 1912* licence conditions that are more stringent than these access rules will be carried forward.

Note: These access rules do not apply to:

1. Local water utility access licences
2. Town water supply access licences
3. Stock and domestic licences for the first three years of the plan (provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day)
4. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*.

Trading rules

INTO water source	Permitted, from Apsley Gorge, Apsley River, Bakers Creek, Blue Mountain Creek, Chandler Gorge, Chandler River, Christmas Creek, Coastal Macleay, Collombatti Creek, Commissioners Waters, Dungay Creek, Dyke River, Euroka Creek, Five Day Creek, Gara River, Georges River, Gills Bridge Creek, Green Gully, Hickeys Creek, Kunderang Creek, Macleay Gorges, Macleay Valley, Malpas Dam, Mungay Creek, Nulla Nulla, Salisbury Waters, Stockyard Creek, Styx River, Tia River, Toorumbie Creek, Warbro Creek, Yarrowitch River water sources but only up to a maximum of 221 ML.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Macleay Unregulated and Alluvial Water Sources is available at the DPI Water website: www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Salisbury Waters Water Source

Water sharing plan	Macleay Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for surface waters

Cease to pump	<p>Pumping is not permitted from natural pools when the water level in the pool is lower than its full capacity.</p> <p>Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool.</p> <p>Note: Natural pools include in-river pools found within the channels of rivers and creeks and off-river pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.</p> <p>Note: For the minority of pump sites not within a natural pool, these licences will be required to cease to pump when there is no visible flow at that pump site.</p>
Reference point	Individual natural pool.

Note: Existing *Water Act 1912* licence conditions that are more stringent than these access rules will be carried forward.

Note: These access rules do not apply to:

1. Local water utility access licences
2. Town water supply access licences
3. Stock and domestic licences for the first three years of the plan (provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day)
4. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*.

Trading rules

INTO water source	Permitted, only if the total licensed entitlement in the water source does not increase (no net gain), from Apsley Gorge, Apsley River, Bakers Creek, Blue Mountain Creek, Chandler Gorge, Chandler River, Christmas Creek, Coastal Macleay, Collombatti Creek, Commissioners Waters, Dungay Creek, Dyke River, Euroka Creek, Five Day Creek, Gara River, Georges River, Gills Bridge Creek, Green Gully, Hickeys Creek, Kunderang Creek, Macleay Gorges, Macleay Valley, Malpas Dam, Mungay Creek, Nulla Nulla Creek, Oaky River, Stockyard Creek, Styx River, Tia River, Toorumbree Creek, Warbro Creek, Yarrowitch River.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Macleay Unregulated and Alluvial Water Sources is available at the DPI Water website: www.water.nsw.gov.au.

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules for the Stockyard Creek Water Source

Water sharing plan	Macleay Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information about your actual licence conditions please call DPI Water, Grafton on (02) 6641 6500

Access rules

Access rules for surface waters

Cease to pump	<p>Pumping is not permitted from natural pools when the water level in the pool is lower than its full capacity.</p> <p>Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool.</p> <p>Note: Natural pools include in-river pools found within the channels of rivers and creeks and off-river pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.</p> <p>Note: For the minority of pump sites not within a natural pool, these licences will be required to cease to pump when there is no visible flow at that pump site.</p>
Reference point	Individual natural pool.

Access rules for aquifers

Cease to pump	Nil.
Reference point	Not required.

Note: Existing *Water Act 1912* licence conditions that are more stringent than these access rules will be carried forward.

Note: These access rules do not apply to:

1. Local water utility access licences
2. Town water supply access licences
3. Stock and domestic licences for the first three years of the plan (provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day)
4. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*.

Trading rules	
INTO water source	Not permitted.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Macleay Unregulated and Alluvial Water Sources is available at the DPI Water website: www.water.nsw.gov.au.

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules for the Styx River Water Source

Water sharing plan	Macleay Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information about your actual licence conditions please call DPI Water, Grafton on (02) 6641 6500

Access rules

Access rules for surface waters

Cease to pump	Years 1-5: 7 ML/day (approximately the 98th%ile). Years 6-10: 10 ML/day (approximately the 95th%ile). Note: This rule applies to all extraction from rivers and creeks in this water source including natural in-river pools within the channels of rivers and creeks.
Reference point	Styx River gauge @ Jeogla.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Note: Existing *Water Act 1912* licence conditions that are more stringent than these access rules will be carried forward.

Note: These access rules do not apply to:

1. Local water utility access licences
2. Town water supply access licences
3. Stock and domestic licences for the first three years of the plan (provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day)
4. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*.

Trading rules	
INTO water source	Not permitted.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Macleay Unregulated and Alluvial Water Sources is available at the DPI Water website: www.water.nsw.gov.au.

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules for the Tia River Water Source

Water sharing plan	Macleay Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information about your actual licence conditions please call DPI Water, Grafton on (02) 6641 6500

Access rules

Access rules for surface waters

Cease to pump	2 ML/day at the reference point (approximately the 97 th %ile). Note: This rule applies to all extraction from rivers and creeks in this water source including natural in-river pools within the channels of rivers and creeks.
Daily pumping restrictions	8 hours/day @ 10 ML/day or less (down to the cease to pump) at the reference point.
Reference point	Tia River Gauge @ Tia.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Note: Existing *Water Act 1912* licence conditions that are more stringent than these access rules will be carried forward.

Note: These access rules do not apply to:

1. Local water utility access licences
2. Town water supply access licences
3. Stock and domestic licences for the first three years of the plan (provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day)
4. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*.

Trading rules	
INTO water source	Permitted, only if the total licensed entitlement in the water source does not increase (no net gain) from, Apsley Gorge, Apsley River, Bakers Creek, Blue Mountain Creek, Chandler Gorge, Chandler River, Christmas Creek, Coastal Macleay, Collombatti Creek, Commissioners Waters, Dungay Creek, Dyke River, Euroka Creek, Five Day Creek, Gara River, Georges River, Gills Bridge Creek, Green Gully, Hickeys Creek, Kunderang Creek, Macleay Gorges, Macleay Valley, Malpas Dam, Mungay Creek, Nulla Nulla Creek, Oaky River, Salisbury Waters, Stockyard Creek, Styx River, Toorumbree Creek, Warbro Creek, Yarrowitch River.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Macleay Unregulated and Alluvial Water Sources is available at the DPI Water website: www.water.nsw.gov.au.

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules for the Toorumbree Creek Water Source

Water sharing plan	Macleay Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information about your actual licence conditions please call DPI Water, Grafton on (02) 6641 6500

Access rules

Access rules for surface waters

Cease to pump	<p>Pumping is not permitted from natural pools when the water level in the pool is lower than its full capacity.</p> <p>Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool.</p> <p>Note: Natural pools include in-river pools found within the channels of rivers and creeks and off-river pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.</p> <p>Note: For the minority of pump sites not within a natural pool, these licences will be required to cease to pump when there is no visible flow at that pump site.</p>
Reference point	Individual natural pool.

Access rules for aquifers

Cease to pump	Nil.
Reference point	Not required.

Note: Existing *Water Act 1912* licence conditions that are more stringent than these access rules will be carried forward.

Note: These access rules do not apply to:

1. Local water utility access licences
2. Town water supply access licences
3. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*.

Trading rules	
INTO water source	Not permitted.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Macleay Unregulated and Alluvial Water Sources is available at the DPI Water website: www.water.nsw.gov.au.

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules for the Warbro Brook Water Source

Water sharing plan	Macleay Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information about your actual licence conditions please call DPI Water, Grafton on (02) 6641 6500

Access rules

Access rules for surface waters

Cease to pump	8 ML/day at the reference point. Note: This rule applies to all extraction from rivers and creeks in this water source including natural in-river pools within the channels of rivers and creeks.
Daily pumping restriction	<ul style="list-style-type: none"> 10 hours/day at 60 ML/day or less (down to 40 ML/day) at the reference point. 6 hours/day at 40 ML/day or less (down to the cease to pump) at the reference point.
Reference point	Macleay River Gauge @ Turners Flat.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Access rules for aquifers

Cease to pump	Nil.
Reference point	Not required.

Note: Existing *Water Act 1912* licence conditions that are more stringent than these access rules will be carried forward.

Note: These access rules do not apply to:

1. Local water utility access licences
2. Town water supply access licences
3. Stock and domestic licences for the first three years of the plan (provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day)
4. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*.

Trading rules	
INTO water source	Permitted, only if the total licensed entitlement in the water source does not increase (no net gain) from, Apsley Gorge, Apsley River, Bakers Creek, Blue Mountain Creek, Chandler Gorge, Chandler River, Christmas Creek, Coastal Macleay, Collombatti Creek, Commissioners Waters, Dungay Creek, Dyke River, Euroka Creek, Five Day Creek, Gara River, Georges River, Gills Bridge Creek, Green Gully, Hickeys Creek, Kunderang Creek, Macleay Gorges, Macleay Valley, Malpas Dam, Mungay Creek, Nulla Nulla Creek, Oaky River, Salisbury Waters, Stockyard Creek, Styx River, Tia River, Toorumbree Creek, Yarrowitch River.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Macleay Unregulated and Alluvial Water Sources is available at the DPI Water website: www.water.nsw.gov.au.

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules for the Yarrowitch River Water Source

Water sharing plan	Macleay Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information about your actual licence conditions please call DPI Water, Grafton on (02) 6641 6500

Access rules

Access rules for surface waters

Cease to pump	3 ML/day at the reference point. Note: This rule applies to all extraction from rivers and creeks in this water source including natural in-river pools within the channels of rivers and creeks.
Reference point	Yarrobindi Bridge.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Note: Existing *Water Act 1912* licence conditions that are more stringent than these access rules will be carried forward.

Note: These access rules do not apply to:

1. Local water utility access licences
2. Town water supply access licences
3. Stock and domestic licences for the first three years of the plan (provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day)
4. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*.

Trading rules	
INTO water source	Permitted, only if the total licensed entitlement in the water source does not increase (no net gain) from, Apsley Gorge, Apsley River, Bakers Creek, Blue Mountain Creek, Chandler Gorge, Chandler River, Christmas Creek, Coastal Macleay, Collombatti Creek, Commissioners Waters, Dungay Creek, Dyke River, Euroka Creek, Five Day Creek, Gara River, Georges River, Gills Bridge Creek, Green Gully, Hickeys Creek, Kunderang Creek, Macleay Gorges, Macleay Valley, Malpas Dam, Mungay Creek, Nulla Nulla Creek, Oaky River, Salisbury Waters, Stockyard Creek, Styx River, Tia River, Toorumbree Creek, Warbro Creek.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Macleay Unregulated and Alluvial Water Sources is available at the DPI Water website: www.water.nsw.gov.au.

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.