

Water Sharing Rules

Lower Towamba River Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

Rules Summary			
The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.			
Access Rules			
Flow Class	Total Daily Extraction Limits (ML/day) for:		
	Local Water Utility access licences	Unregulated river access licences	Domestic & stock access licences
Very Low flow Stream flow is less than or equal to 0.5 ML/day	1 ML/day	No access	No access for stock purposes from Year 1. No access for domestic purposes from Year 4.
Low flow Stream flow is greater than 0.5 ML/day and less than 5 ML/day	1 ML/day	No access	Access permitted subject to the Reasonable Use Guidelines (under development)
A class flow Stream flow is greater than 5 ML/day and less than or equal to 15 ML/day	3 ML/day (conditional on there being a visible flow in the river adjacent to the borefield)	1.8 ML/d to be shared amongst all unregulated river and domestic & stock access licences downstream of Gauge 220004	
B class flow Stream flow is greater than 15 ML/day and less than or equal to 34 ML/day	6 ML/day	4.5 ML/d to be shared amongst all unregulated river and domestic & stock access licences downstream of Gauge 220004	
C class flow Stream flow is greater than 34 ML/day	12 ML/day	No Total Daily Extraction Limit for unregulated river and domestic & stock access licences	
Flow Reference Point	Towamba River at Towamba (Gauging Station 220004)		
Commence to pump (unregulated river access licences)	Once stream flows have fallen below 5 ML/d for a period of 24 hours, water may not be taken until stream flows exceed 15 ML/d.		

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Trading Rules	
Trading INTO	Not permitted
Trading WITHIN	Permitted, subject to assessment
Conversions	
Conversion to High Flow Access Licence	Permitted at a ratio of 2.5 to 1, subject to assessment
Aboriginal Community Development Licences	Applications accepted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water Sharing Rules

Mataganah Creek Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

<p>Rules Summary</p> <p>The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.</p>
--

Access Rules		
Flow Class	Total Daily Extraction Limits (ML/day) for:	
	Unregulated river access licences	Domestic & stock access licences
Very Low flow Stream flow is less than or equal to 0.5 ML/day	No access	No access for stock purposes from Year 1. No access for domestic purposes from Year 4.
Low flow Stream flow is greater than 0.5 ML/day and less than 5 ML/day	No access	Access permitted subject to the Reasonable Use Guidelines (under development)
A class flow Stream flow is greater than 5 ML/day and less than or equal to 15 ML/day	2.7 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
B class flow Stream flow is greater than 15 ML/day and less than or equal to 34 ML/day	6.5 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
C class flow Stream flow is greater than 34 ML/day	No TDEL	
Flow Reference Point	Towamba River at Towamba (Gauging Station 220004)	
Commence to pump (unregulated river access licences)	Once stream flows have fallen below 5 ML/d for a period of 24 hours, water may not be taken until stream flows exceed 15 ML/d.	

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

Trading Rules	
Trading INTO	Not permitted
Trading WITHIN	Permitted, subject to assessment
Conversions	
Conversion to High Flow Access Licence	Permitted at a ratio of 2.5 to 1, subject to assessment
Aboriginal Community Development Licences	Applications accepted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water Sharing Rules

Merimbula Creek Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Cease to Pump / Commence to Pump	Cease to Pump once there is no visible flow at the pumpsite, or where water is being taken from a pool, once there is no inflow to, or outflow from, the pool; Commence to Pump once there is flow at the pumpsite, or where water is being taken from a pool, once there is inflow to, and outflow from, the pumping pool.
Reference Point	Pump site or the inflow and outflow of the pumping pool.
First flush	If flows have not exceeded the Cease To Pump (CTP) level for a period of 30 consecutive days, water may not be taken for a period of 12 hours after flows have exceeded the CTP level.

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

Trading Rules

Trading INTO	Not permitted
Trading WITHIN	Permitted, subject to assessment

Conversions

Conversion to High Flow Access Licence	Not permitted
Aboriginal Community Development Licences	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to www.industry.nsw.gov.au/water

Water Sharing Rules

Merimbula Lake Tributaries Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Cease to Pump / Commence to Pump	Cease to Pump once there is no visible flow at the pumpsite, or where water is being taken from a pool, once there is no inflow to, or outflow from, the pool; Commence to Pump once there is flow at the pumpsite, or where water is being taken from a pool, once there is inflow to, and outflow from, the pumping pool.
Reference Point	Pump site or the inflow and outflow of the pumping pool.
First flush	If flows have not exceeded the Cease To Pump (CTP) level for a period of 30 consecutive days, water may not be taken for a period of 12 hours after flows have exceeded the CTP level.

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

Trading Rules

Trading INTO	Not permitted
Trading WITHIN	Permitted, subject to assessment

Conversions

Conversion to High Flow Access Licence	Not permitted
Aboriginal Community Development Licences	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to www.industry.nsw.gov.au/water

Water Sharing Rules

Myrtle Creek Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

<p>Rules Summary</p> <p>The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.</p>
--

Access Rules		
Flow Class	Total Daily Extraction Limits (ML/day) for:	
	Unregulated river access licences	Domestic & stock access licences
Very Low flow Stream flow is less than or equal to 0.5 ML/day	No access	No access for stock purposes from Year 1. No access for domestic purposes from Year 4.
Low flow Stream flow is greater than 0.5 ML/day and less than 5 ML/day	No access	Access permitted subject to the Reasonable Use Guidelines (under development)
A class flow Stream flow is greater than 5 ML/day and less than or equal to 15 ML/day	2.7 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
B class flow Stream flow is greater than 15 ML/day and less than or equal to 34 ML/day	6.5 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
C class flow Stream flow is greater than 34 ML/day	No TDEL	
Flow Reference Point	Towamba River at Towamba (Gauging Station 220004)	
Commence to pump (unregulated river access licences)	Once stream flows have fallen below 5 ML/d for a period of 24 hours, water may not be taken until stream flows exceed 15 ML/d.	

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Trading Rules	
Trading INTO	Not permitted
Trading WITHIN	Permitted, subject to assessment
Conversions	
Conversion to High Flow Access Licence	Permitted at a ratio of 2.5 to 1, subject to assessment
Aboriginal Community Development Licences	Applications accepted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water Sharing Rules

Nullica River Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

There are currently no licences in this water source, and it is recommended that no licences are permitted to be traded into this water source. Therefore, no access rules have been proposed for this water source.

Trading Rules

Trading INTO	Not permitted
Trading WITHIN	Not applicable

Conversions

Conversion to High Flow Access Licence	Not applicable
Aboriginal Community Development Licences	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water Sharing Rules

Pambula Lake Tributaries Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Cease to Pump / Commence to Pump	Cease to Pump once there is no visible flow at the pumpsite, or where water is being taken from a pool, once there is no inflow to, or outflow from, the pool; Commence to Pump once there is flow at the pumpsite, or where water is being taken from a pool, once there is inflow to, and outflow from, the pumping pool.
Reference Point	Pump site or the inflow and outflow of the pumping pool.
First flush	If flows have not exceeded the Cease To Pump (CTP) level for a period of 30 consecutive days, water may not be taken for a period of 12 hours after flows have exceeded the CTP level.

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

Trading Rules

Trading INTO	Not permitted
Trading WITHIN	Permitted, subject to assessment
Conversions	
Conversion to High Flow Access Licence	Not permitted
Aboriginal Community Development Licences	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to www.industry.nsw.gov.au/water

Water Sharing Rules

Pericoe Creek Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access Rules

There are currently no licences in this water source, and it is recommended that no licences are permitted to be traded into this water source. Therefore, no access rules have been proposed for this water source.

Trading Rules

Trading INTO	Not permitted
Trading WITHIN	Not applicable

Conversions

Conversion to High Flow Access Licence	Not applicable
Aboriginal Community Development Licences	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to www.industry.nsw.gov.au/water

Water Sharing Rules

Sandy Beach Creek Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Cease to Pump / Commence to Pump	Cease to Pump once there is no visible flow at the pumpsite, or where water is being taken from a pool, once there is no inflow to, or outflow from, the pool; Commence to Pump once there is flow at the pumpsite, or where water is being taken from a pool, once there is inflow to, and outflow from, the pumping pool.
Reference Point	Pump site or the inflow and outflow of the pumping pool.
First flush	If flows have not exceeded the Cease To Pump (CTP) level for a period of 30 consecutive days, water may not be taken for a period of 12 hours after flows have exceeded the CTP level.

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

Trading Rules

Trading INTO	Not permitted
Trading WITHIN	Permitted, subject to assessment

Conversions

Conversion to High Flow Access Licence	Not permitted
Aboriginal Community Development Licences	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water Sharing Rules

Stockyard Creek Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

Rules Summary

The following rules are a guide only. For more information about your actual Licence conditions, please contact the NSW Office of Water, phone (02) 4429 4444.

Access Rules

There are currently no licences in this water source, and it is recommended that no licences are permitted to be traded into this water source. Therefore, no access rules have been proposed for this water source.

Trading Rules

Trading INTO	Not permitted
Trading WITHIN	Not applicable

Conversions

Conversion to High Flow Access Licence	Not applicable
Aboriginal Community Development Licences	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to on the NSW Office of Water website: www.water.nsw.gov.au

Water Sharing Rules

Towamba Estuary Tributaries Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

Rules Summary

The following rules are a guide only. For more information about your actual Licence conditions, please contact the NSW Office of Water, phone (02) 4429 4444.

Access rules

Cease to Pump / Commence to Pump	Cease to Pump once there is no visible flow at the pumpsite, or where water is being taken from a pool, once there is no inflow to, or outflow from, the pool; Commence to Pump once there is flow at the pumpsite, or where water is being taken from a pool, once there is inflow to, and outflow from, the pumping pool.
Reference Point	Pump site or the inflow and outflow of the pumping pool.
First flush	If flows have not exceeded the Cease To Pump (CTP) level for a period of 30 consecutive days, water may not be taken for a period of 12 hours after flows have exceeded the CTP level.

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

Trading Rules

Trading INTO	Not permitted
Trading WITHIN	Not applicable
Conversions	
Conversion to High Flow Access Licence	Not applicable
Aboriginal Community Development Licences	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to on the NOW website: www.water.nsw.gov.au

Water Sharing Rules

Tura Beach Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

Rules Summary

The following rules are a guide only. For more information about your actual Licence conditions, please contact the NSW Office of Water, phone (02) 4429 4444.

Access rules

There are currently no licences in this water source, and it is recommended that no licences are permitted to be traded into this water source. Therefore, no access rules have been proposed for this water source.

Trading Rules

Trading INTO	Not permitted
Trading WITHIN	Not applicable

Conversions

Conversion to High Flow Access Licence	Not applicable
Aboriginal Community Development Licences	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to on the NSW Office of Water website: www.water.nsw.gov.au

Water Sharing Rules

Upper Towamba River Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

Rules Summary

The following rules are a guide only. For more information about your actual Licence conditions, please contact the NSW Office of Water, phone (02) 4429 4444.

Access Rules

Flow Class	Total Daily Extraction Limits (ML/day) for:	
	Unregulated river access licences	Domestic & stock access licences
Very Low flow Stream flow is less than or equal to 0.5 ML/day	No access	No access for stock purposes from Year 1. No access for domestic purposes from Year 4.
Low flow Stream flow is greater than 0.5 ML/day and less than 5 ML/day	No access	Access permitted subject to the Reasonable Use Guidelines (under development)
A class flow Stream flow is greater than 5 ML/day and less than or equal to 15 ML/day	2.7 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
B class flow Stream flow is greater than 15 ML/day and less than or equal to 34 ML/day	6.5 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
C class flow Stream flow is greater than 34 ML/day	No TDEL	
Flow Reference Point	Towamba River at Towamba (Gauging Station 220004)	
Commence to pump (unregulated river access licences)	Once stream flows have fallen below 5 ML/d for a period of 24 hours, water may not be taken until stream flows exceed 15 ML/d.	

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

Trading Rules	
Trading INTO	Not permitted
Trading WITHIN	Permitted, subject to assessment
Conversions	
Conversion to High Flow Access Licence	Permitted at a ratio of 2.5 to 1, subject to assessment
Aboriginal Community Development Licences	Applications accepted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to on the NSW Office of Water website: www.water.nsw.gov.au

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water Sharing Rules

Wallagoot Lake and Tributaries Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

Rules Summary

The following rules are a guide only. For more information about your actual Licence conditions, please contact the NSW Office of Water, phone (02) 4429 4444.

Access rules

Cease to Pump / Commence to Pump	Cease to Pump once there is no visible flow at the pumpsite, or where water is being taken from a pool, once there is no inflow to, or outflow from, the pool; Commence to Pump once there is flow at the pumpsite, or where water is being taken from a pool, once there is inflow to, and outflow from, the pumping pool.
Reference Point	Pump site or the inflow and outflow of the pumping pool.
First flush	If flows have not exceeded the Cease To Pump (CTP) level for a period of 30 consecutive days, water may not be taken for a period of 12 hours after flows have exceeded the CTP level.

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

Trading Rules

Trading INTO	Not permitted
Trading WITHIN	Permitted, subject to assessment

Conversions

Conversion to High Flow Access Licence	Not permitted
Aboriginal Community Development Licences	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to on the NSW Office of Water website: www.water.nsw.gov.au

Water Sharing Rules

Wog Wog River Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

Rules Summary

The following rules are a guide only. For more information about your actual Licence conditions, please contact the NSW Office of Water, phone (02) 4429 4444.

Access Rules

Flow Class	Total Daily Extraction Limits (ML/day) for:	
	Unregulated river access licences	Domestic & stock access licences
Very Low flow Stream flow is less than or equal to 0.5 ML/day	No access	No access for stock purposes from Year 1. No access for domestic purposes from Year 4.
Low flow Stream flow is greater than 0.5 ML/day and less than 5 ML/day	No access	Access permitted subject to the Reasonable Use Guidelines (under development)
A class flow Stream flow is greater than 5 ML/day and less than or equal to 15 ML/day	2.7 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
B class flow Stream flow is greater than 15 ML/day and less than or equal to 34 ML/day	6.5 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
C class flow Stream flow is greater than 34 ML/day	No TDEL	
Flow Reference Point	Towamba River at Towamba (Gauging Station 220004)	
Commence to pump (unregulated river access licences)	Once stream flows have fallen below 5 ML/d for a period of 24 hours, water may not be taken until stream flows exceed 15 ML/d.	

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

Trading Rules	
Trading INTO	Not permitted
Trading WITHIN	Permitted, subject to assessment
Conversions	
Conversion to High Flow Access Licence	Permitted at a ratio of 2.5 to 1, subject to assessment
Aboriginal Community Development Licences	Applications accepted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to on the NSW Office of Water website: www.water.nsw.gov.au

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water Sharing Rules Wonboyn River Water Source

Water Sharing Plan	Towamba River Unregulated and Alluvial Water Sources
Plan Commencement Date	17 December 2010
Term of the Plan	10 years

Rules Summary

The following rules are a guide only. For more information about your actual Licence conditions, please contact the NSW Office of Water, phone (02) 4429 4444.

Access rules

Cease to Pump / Commence to Pump	Cease to Pump once there is no visible flow at the pumpsite, or where water is being taken from a pool, once there is no inflow to, or outflow from, the pool; Commence to Pump once there is flow at the pumpsite, or where water is being taken from a pool, once there is inflow to, and outflow from, the pumping pool.
Reference Point	Pump site or the inflow and outflow of the pumping pool.
First flush	If flows have not exceeded the Cease To Pump (CTP) level for a period of 30 consecutive days, water may not be taken for a period of 12 hours after flows have exceeded the CTP level.

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

Trading Rules

Trading INTO	Not permitted
Trading WITHIN	Permitted, subject to assessment
Conversions	
Conversion to High Flow Access Licence	Not permitted
Aboriginal Community Development Licences	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to on the NSW Office of Water website: www.water.nsw.gov.au

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.